

Child Element Data Dictionary 2016 Review

Data Element Dictionary Terms

Data Domain:	eHIVQUAL data domain	
Indicator:	eHIVQUAL indicator name	
Data Element Name:	A short phrase identifying the data element.	
Question ID:	Question # matching eHIVQUAL data collection form	
Definition:	A detailed explanation of the data element.	
Format:	Length:	= Number of characters or digits allowed for the data element
	Type:	= Type of information the data element contains (i.e., numeric, alphanumeric, data decimal, or date)
Occurrences:	The number of times the data element occurs in a single episode of care record.	
Special Note:	Special notice (if applicable)	
Allowable Values:	A list of acceptable responses for this data element.	

Data Domain:	tblReview	
Indicator:		
Data Element Name:	<i>KeyFinding</i>	
Question #:		
Definition:	After reviewing your eHIVQUAL data reports what are your key findings?	
Format:	Length:	4000
	Type:	Alphanumeric
Occurrences:	Equal to one	
Special Note:	This data element cannot be imported	
Import Template:		
Allowable Values:	4000 characters	

Data Domain:	tblReview	
Indicator:		
Data Element Name:	<i>ActionTaken</i>	
Question #:		
Definition:	What actions does your program plan to implement in response to these findings?	
Format:	Length:	4000
	Type:	Alphanumeric
Occurrences:	Equal to one	
Special Note:	This data element cannot be imported	
Import Template:		
Allowable Values:	4000 characters	

Data Domain:	tblReview	
Indicator:		
Data Element Name:	<i>ReviewCommentUser</i>	
Question #:		
Definition:	User Comments	
Format:	Length:	8000
	Type:	Alphanumeric
Occurrences:	Equal to one	
Special Note:	This data element cannot be imported	
Import Template:		
Allowable Values:	8000 characters	

Data Domain:	tblReview	
Indicator:		
Data Element Name:	<i>Review_Complete</i>	
Question #:		
Definition:	Ready to submit?	
Format:	Length:	1
	Type:	Numeric
Occurrences:	Equal to one	
Special Note:	This data element cannot be imported	
Import Template:		
Allowable Values:	0	No
	1	Yes

Data Domain:	tblReview	
Indicator:		
Data Element Name:	<i>Review_Complete_Date</i>	
Question #:		
Definition:	Submission date/time (automatically generated)	
Format:	Length:	10 (including slashes)
	Type:	Date (MM/DD/YY)
Occurrences:	Equal to one	
Special Note:	This data element cannot be imported	
Import Template:		
Allowable Values:	mm/dd/yy	Using mm/dd/yy date format

Data Domain:	tblReview	
Indicator:		
Data Element Name:	<i>SubmitPerson</i>	
Question #:		
Definition:	Name of Person Submitting Data	
Format:	Length:	100
	Type:	Alphanumeric
Occurrences:	Equal to one	
Special Note:	This data element cannot be imported	
Import Template:		
Allowable Values:	100 characters	

Data Domain:	tblReview	
Indicator:		
Data Element Name:	<i>NewPatientSample</i>	
Question #:		
Definition:	New Patient Sampling Methodology	
Format:	Length:	6
	Type:	Alphanumeric
Occurrences:	Equal to one	
Special Note:	This data element cannot be imported	
Import Template:		
Allowable Values:	All	All new patients
	Sample	All newly diagnosed; sample of others
	Other	Other

Data Domain:	tblReview	
Indicator:		
Data Element Name:	<i>NewPatientSampleSpec</i>	
Question #:		
Definition:	Other New Patient Sampling Methodology (specify)	
Format:	Length:	500
	Type:	Alphanumeric
Occurrences:	Equal to one	
Special Note:	This data element cannot be imported	
Import Template:		
Allowable Values:	500 characters	

Data Domain:	tblReview	
Indicator:		
Data Element Name:	<i>Review_Office</i>	
Question #:		
Definition:	Approve submission?	
Format:	Length:	1
	Type:	Numeric
Occurrences:	Equal to one	
Special Note:	This data element cannot be imported	
Import Template:		
Allowable Values:	0	No
	1	Yes

Data Domain:	tblReview	
Indicator:		
Data Element Name:	<i>Review_Office_Date</i>	
Question #:		
Definition:	Approval date/time (automatically generated)	
Format:	Length:	10 (including slashes)
	Type:	Date (MM/DD/YY)
Occurrences:	Equal to one	
Special Note:	This data element cannot be imported	
Import Template:		
Allowable Values:	mm/dd/yy	Using mm/dd/yy date format

Data Domain:	tblReview	
Indicator:		
Data Element Name:	<i>ReviewStatus</i>	
Question #:		
Definition:	Review Status	
Format:	Length:	15
	Type:	Alphanumeric
Occurrences:	Equal to one	
Special Note:	This data element cannot be imported	
Import Template:		
Allowable Values:	Unreviewed	Unreviewed
	Minor Problem	Minor Problem
	Major Problem	Major Problem
	No Problem	No Problem
	Will not submit	Will not submit

Data Domain:	tblReview	
Indicator:		
Data Element Name:	<i>ReviewCommentOMD</i>	
Question #:		
Definition:	OMD Comments	
Format:	Length:	8000
	Type:	Alphanumeric
Occurrences:	Equal to one	
Special Note:	This data element cannot be imported	
Import Template:		
Allowable Values:	8000 characters	

Data Domain:	tblReview	
Indicator:		
Data Element Name:	<i>SampleType</i>	
Question #:		
Definition:		
Format:	Length:	20
	Type:	Alphanumeric
Occurrences:	Equal to one	
Special Note:	Discontinued in 2013	
Import Template:		
Allowable Values:	Not in use	

Data Domain:	tblReview	
Indicator:		
Data Element Name:	<i>MH_Title</i>	
Question #:		
Definition:		
Format:	Length:	20
	Type:	Alphanumeric
Occurrences:	Equal to one	
Special Note:	Discontinued in 2013	
Import Template:		
Allowable Values:	Not in use	

Data Domain:	tblReview	
Indicator:		
Data Element Name:	<i>AssessDate</i>	
Question #:		
Definition:		
Format:	Length:	10 (including slashes)
	Type:	Date (MM/DD/YY)
Occurrences:	Equal to one	
Special Note:	Discontinued in 2013	
Import Template:		
Allowable Values:	Not in use	

Data Domain:	tblReview	
Indicator:		
Data Element Name:	<i>qualAssessStructure</i>	
Question #:		
Definition:		
Format:	Length:	10
	Type:	Numeric
Occurrences:	Equal to one	
Special Note:	Discontinued in 2013	
Import Template:		
Allowable Values:	Not in use	

Data Domain:	tblReview	
Indicator:		
Data Element Name:	<i>qualResources</i>	
Question #:		
Definition:		
Format:	Length:	10
	Type:	Numeric
Occurrences:	Equal to one	
Special Note:	Discontinued in 2013	
Import Template:		
Allowable Values:	Not in use	

Data Domain:	tblReview	
Indicator:		
Data Element Name:	<i>qualLeadership</i>	
Question #:		
Definition:		
Format:	Length:	10
	Type:	Numeric
Occurrences:	Equal to one	
Special Note:	Discontinued in 2013	
Import Template:		
Allowable Values:	Not in use	

Data Domain:	tblReview	
Indicator:		
Data Element Name:	<i>qualPlan</i>	
Question #:		
Definition:		
Format:	Length:	10
	Type:	Numeric
Occurrences:	Equal to one	
Special Note:	Discontinued in 2013	
Import Template:		
Allowable Values:	Not in use	

Data Domain:	tblReview	
Indicator:		
Data Element Name:	<i>qualGoals</i>	
Question #:		
Definition:		
Format:	Length:	10
	Type:	Numeric
Occurrences:	Equal to one	
Special Note:	Discontinued in 2013	
Import Template:		
Allowable Values:	Not in use	

Data Domain:	tblReview	
Indicator:		
Data Element Name:	<i>qualRoles</i>	
Question #:		
Definition:		
Format:	Length:	10
	Type:	Numeric
Occurrences:	Equal to one	
Special Note:	Discontinued in 2013	
Import Template:		
Allowable Values:	Not in use	

Data Domain:	tblReview	
Indicator:		
Data Element Name:	<i>qualTimelines</i>	
Question #:		
Definition:		
Format:	Length:	10
	Type:	Numeric
Occurrences:	Equal to one	
Special Note:	Discontinued in 2013	
Import Template:		
Allowable Values:	Not in use	

Data Domain:	tblReview	
Indicator:		
Data Element Name:	<i>qualIndicators</i>	
Question #:		
Definition:		
Format:	Length:	10
	Type:	Numeric
Occurrences:	Equal to one	
Special Note:	Discontinued in 2013	
Import Template:		
Allowable Values:	Not in use	

Data Domain:	tblReview	
Indicator:		
Data Element Name:	<i>qualMeasurement</i>	
Question #:		
Definition:		
Format:	Length:	10
	Type:	Numeric
Occurrences:	Equal to one	
Special Note:	Discontinued in 2013	
Import Template:		
Allowable Values:	Not in use	

Data Domain:	tblReview	
Indicator:		
Data Element Name:	<i>qualProjects</i>	
Question #:		
Definition:		
Format:	Length:	10
	Type:	Numeric
Occurrences:	Equal to one	
Special Note:	Discontinued in 2013	
Import Template:		
Allowable Values:	Not in use	

Data Domain:	tblReview	
Indicator:		
Data Element Name:	<i>qualTeams</i>	
Question #:		
Definition:		
Format:	Length:	10
	Type:	Numeric
Occurrences:	Equal to one	
Special Note:	Discontinued in 2013	
Import Template:		
Allowable Values:	Not in use	

Data Domain:	tblReview	
Indicator:		
Data Element Name:	<i>qualEducation</i>	
Question #:		
Definition:		
Format:	Length:	10
	Type:	Numeric
Occurrences:	Equal to one	
Special Note:	Discontinued in 2013	
Import Template:		
Allowable Values:	Not in use	

Data Domain:	tblReview	
Indicator:		
Data Element Name:	<i>qualConsumer</i>	
Question #:		
Definition:		
Format:	Length:	10
	Type:	Numeric
Occurrences:	Equal to one	
Special Note:	Discontinued in 2013	
Import Template:		
Allowable Values:	Not in use	

Data Domain:	tblReview	
Indicator:		
Data Element Name:	<i>qualPlanning</i>	
Question #:		
Definition:		
Format:	Length:	10
	Type:	Numeric
Occurrences:	Equal to one	
Special Note:	Discontinued in 2013	
Import Template:		
Allowable Values:	Not in use	

Data Domain:	tblReview	
Indicator:		
Data Element Name:	<i>cisEval</i>	
Question #:		
Definition:		
Format:	Length:	10
	Type:	Numeric
Occurrences:	Equal to one	
Special Note:	Discontinued in 2013	
Import Template:		
Allowable Values:	Not in use	

Data Domain:	tblReview	
Indicator:		
Data Element Name:	<i>Comments</i>	
Question #:		
Definition:		
Format:	Length:	8000
	Type:	Alphanumeric
Occurrences:	Equal to one	
Special Note:	Discontinued in 2013	
Import Template:		
Allowable Values:	Not in use	

Data Domain:	tblReview	
Indicator:		
Data Element Name:	<i>OnSiteService</i>	
Question #:		
Definition:		
Format:	Length:	10
	Type:	Numeric
Occurrences:	Equal to one	
Special Note:	Discontinued in 2013	
Import Template:		
Allowable Values:	Not in use	

Data Domain:	tblReview	
Indicator:		
Data Element Name:	<i>HIVCareDelivery</i>	
Question #:		
Definition:		
Format:	Length:	10
	Type:	Numeric
Occurrences:	Equal to one	
Special Note:	Discontinued in 2013	
Import Template:		
Allowable Values:	Not in use	

Data Domain:	tblReview	
Indicator:		
Data Element Name:	<i>StaffFTDirector</i>	
Question #:		
Definition:		
Format:	Length:	10
	Type:	Numeric
Occurrences:	Equal to one	
Special Note:	Discontinued in 2013	
Import Template:		
Allowable Values:	Not in use	

Data Domain:	tblReview	
Indicator:		
Data Element Name:	<i>StaffFTAdmin</i>	
Question #:		
Definition:		
Format:	Length:	10
	Type:	Numeric
Occurrences:	Equal to one	
Special Note:	Discontinued in 2013	
Import Template:		
Allowable Values:	Not in use	

Data Domain:	tblReview	
Indicator:		
Data Element Name:	<i>StaffFTQM</i>	
Question #:		
Definition:		
Format:	Length:	10
	Type:	Numeric
Occurrences:	Equal to one	
Special Note:	Discontinued in 2013	
Import Template:		
Allowable Values:	Not in use	

Data Domain:	tblReview	
Indicator:		
Data Element Name:	<i>StaffFTQMPct</i>	
Question #:		
Definition:		
Format:	Length:	10
	Type:	Numeric
Occurrences:	Equal to one	
Special Note:	Discontinued in 2013	
Import Template:		
Allowable Values:	Not in use	

Data Domain:	tblReview	
Indicator:		
Data Element Name:	<i>StaffFTQMCareer</i>	
Question #:		
Definition:		
Format:	Length:	10
	Type:	Numeric
Occurrences:	Equal to one	
Special Note:	Discontinued in 2013	
Import Template:		
Allowable Values:	Not in use	

Data Domain:	tblReview	
Indicator:		
Data Element Name:	<i>StaffFTHIVStaff</i>	
Question #:		
Definition:		
Format:	Length:	10
	Type:	Numeric
Occurrences:	Equal to one	
Special Note:	Discontinued in 2013	
Import Template:		
Allowable Values:	Not in use	

Data Domain:	tblReview	
Indicator:		
Data Element Name:	<i>StaffFTClinProv</i>	
Question #:		
Definition:		
Format:	Length:	10
	Type:	Numeric
Occurrences:	Equal to one	
Special Note:	Discontinued in 2013	
Import Template:		
Allowable Values:	Not in use	

Data Domain:	tblReview	
Indicator:		
Data Element Name:	<i>StaffFTCM</i>	
Question #:		
Definition:		
Format:	Length:	10
	Type:	Numeric
Occurrences:	Equal to one	
Special Note:	Discontinued in 2013	
Import Template:		
Allowable Values:	Not in use	

Data Domain:	tblReview	
Indicator:		
Data Element Name:	<i>StaffAccessMIS</i>	
Question #:		
Definition:		
Format:	Length:	10
	Type:	Numeric
Occurrences:	Equal to one	
Special Note:	Discontinued in 2013	
Import Template:		
Allowable Values:	Not in use	

Data Domain:	tblReview	
Indicator:		
Data Element Name:	<i>StaffOther</i>	
Question #:		
Definition:		
Format:	Length:	500
	Type:	Alphanumeric
Occurrences:	Equal to one	
Special Note:	Discontinued in 2013	
Import Template:		
Allowable Values:	Not in use	

Data Domain:	tblReview	
Indicator:		
Data Element Name:	<i>AssessBy</i>	
Question #:		
Definition:		
Format:	Length:	100
	Type:	Alphanumeric
Occurrences:	Equal to one	
Special Note:	Discontinued in 2013	
Import Template:		
Allowable Values:	Not in use	

Data Domain:	tblReview	
Indicator:		
Data Element Name:	<i>AssessType</i>	
Question #:		
Definition:		
Format:	Length:	10
	Type:	Numeric
Occurrences:	Equal to one	
Special Note:	Discontinued in 2013	
Import Template:		
Allowable Values:	Not in use	

Data Domain:	tblReview	
Indicator:		
Data Element Name:	<i>VisitTwice</i>	
Question #:		
Definition:		
Format:	Length:	10
	Type:	Numeric
Occurrences:	Equal to one	
Special Note:	Discontinued in 2013	
Import Template:		
Allowable Values:	Not in use	

Data Domain:	tblReview	
Indicator:		
Data Element Name:	<i>FundCD</i>	
Question #:		
Definition:		
Format:	Length:	20
	Type:	Alphanumeric
Occurrences:	Equal to one	
Special Note:	Discontinued in 2013	
Import Template:		
Allowable Values:	Not in use	

Data Domain:	tblReview	
Indicator:		
Data Element Name:	<i>specdef</i>	
Question #:		
Definition:		
Format:	Length:	20
	Type:	Alphanumeric
Occurrences:	Equal to one	
Special Note:	Discontinued in 2013	
Import Template:		
Allowable Values:	Not in use	

Data Domain:	tblReview	
Indicator:		
Data Element Name:	<i>specdeftxt</i>	
Question #:		
Definition:		
Format:	Length:	200
	Type:	Alphanumeric
Occurrences:	Equal to one	
Special Note:	Discontinued in 2013	
Import Template:		
Allowable Values:	Not in use	

Appendix A: Medication Table

ID (XML)	ARV Medication (Excel)	STI Conditions
305	Aqueous penicillin G (Aqueous penicillin G)	For treating Syphilis
310	Benzathine penicillin G (Benzathine penicillin G)	For treating Syphilis
315	Penicillin G (Penicillin G)	For treating Syphilis
320	Penicillin V (Penicillin V)	For treating Syphilis
325	Procaine penicillin G (Procaine penicillin G)	For treating Syphilis
330	Other (Other)	For treating Syphilis
405	Amoxicillin (Amoxicillin)	For treating Gonorrhea or Chlamydia
410	Azithromycin (Azithromycin)	For treating Gonorrhea or Chlamydia
415	Cefixime (Cefixime)	For treating Gonorrhea or Chlamydia
420	Ceftriaxone (Ceftriaxone)	For treating Gonorrhea or Chlamydia
425	Doxycycline (Doxycycline)	For treating Gonorrhea or Chlamydia
430	Erythromycin (Erythromycin)	For treating Gonorrhea or Chlamydia
435	Levofloxacin (Levofloxacin)	For treating Gonorrhea or Chlamydia
440	Ofloxacin (Ofloxacin)	For treating Gonorrhea or Chlamydia
445	Other (Other)	For treating Gonorrhea or Chlamydia